


The C6 AUTOMATIC TRANSMISSION

TRAINING HANDBOOK


COURSE 1710-104



Two Ford Transmission
Manuals Combined
into One Product!



Plus



BUY IT NOW!

Click Here To Order



FORD MOTOR COMPANY

PARTS AND SERVICE DIVISION

TRAINING AND PUBLICATIONS DEPARTMENT



License #2011747

Copyright © 2013, Forel Publishing Company, LLC, Woodbridge, Virginia

All Rights Reserved. No part of this book may be used or reproduced in any manner whatsoever without written permission of Forel Publishing Company, LLC. For information write to Forel Publishing Company, LLC, 3999 Peregrine Ridge Ct., Woodbridge, VA 22192

**The C6 Automatic Transmission Training Handbook
and
Automatic Transmission Diagnosis Programmed Instruction Book**
EAN: 978-1-60371-198-2
ISBN: 1-60371-198-8

Forel Publishing Company, LLC
3999 Peregrine Ridge Ct.
Woodbridge, VA 22192
Email address: sales@ForelPublishing.com
Website: <http://www.ForelPublishing.com>



This publication contains material that is reproduced and distributed under a license from Ford Motor Company. No further reproduction or distribution of the Ford Motor Company material is allowed without the express written permission of Ford Motor Company.

Note from the Publisher

This product was created from the original Ford Motor Company's publication. Every effort has been made to use the original scanned images, however, due to the condition of the material; some pages have been modified to remove imperfections.

Disclaimer


Although every effort was made to ensure the accuracy of this book, no representations or warranties of any kind are made concerning the accuracy, completeness or suitability of the information, either expressed or implied. As a result, the information contained within this book should be used as general information only. The author and Forel Publishing Company, LLC shall have neither liability nor responsibility to any person or entity with respect to any loss or damage caused, or alleged to be caused, directly or indirectly by the information contained in this book. The publisher and author are not engaged in rendering legal or other professional services. If legal, mechanical, electrical, or other expert assistance is required, the assistance of a professional should be sought.



The C6 AUTOMATIC TRANSMISSION

TRAINING HANDBOOK

COURSE 1710-104



License #2011747



BUY IT NOW!

Click Here To Order



FORD MOTOR COMPANY

SALES, PARTS AND SERVICE DIVISION

TRAINING AND PUBLICATIONS DEPARTMENT

PayPal

Discover
Cards

AMERICAN
EXPRESS
CARD

MasterCard

VISA

THE C6 AUTOMATIC TRANSMISSION

Training Handbook

TABLE OF CONTENTS

	Page
INTRODUCTION	
TORQUE CONVERTER	1
PLANETARY GEAR SYSTEM	4
Planetary Gear Principles	4
C6 Gear Train Buildup	6
HYDRAULIC CONTROL SYSTEM	11
The Pressure Source	11
Converter and Cooler System	13
Controlling the Gear Train	14
Governor Operation	20
The Throttle Pressure System	22
Hydraulic Circuit Diagrams	26
DIAGNOSIS AND ADJUSTMENT	46
Preliminary Checks and Adjustments	47
Stall Test	49
Road Test	50
Band Adjustment	51
Control Pressure Testing	51
Air Pressure Tests	53
DEFINITIONS	54

The descriptions, testing procedures, and specifications in this handbook were in effect at the time the handbook was approved for printing. Ford Motor Company reserves the right to change specifications at any time, or to discontinue the product without incurring



BUY IT NOW!

Click Here To Order



 Ford Division
National Service Office

First Printing – July 1970

© 1970 FORD MARKETING CORPORATION
DEARBORN, MICHIGAN
REPRINTED OCTOBER 1976




INTRODUCTION

INTRODUCTION

This handbook has been prepared so that a technician with no knowledge of automatics can learn the C6 operation by reading the following sections and studying the diagrams. There is a glossary of technical terms used in the copy at the end of the book, which can be used for reference during the study.

If you are already an experienced automatic transmission man and understand the operation of automatics well, a quick reading of some sections will do for you. You should put your greatest study emphasis on the control valve section where the most significant changes are. Of course, in any case, be sure to keep this handbook for reference after you finish studying the C6 automatic transmission.




BUY IT NOW!

Click Here To Order



TORQUE CONVERTER



OPERATION

The C6 is a fully automatic three-speed transmission, with the same driving ranges as other Cruise-O-Matics. It consists essentially of a torque converter; a compound planetary gear train controlled by one band, three disc clutches, a one-way clutch, and a hydraulic control system (Fig. 1). It uses the standard Cruise-O-Matic shift selector (Fig. 2) with six positions – “P” Park, “R” Reverse, “N” Neutral, “D” Normal Drive Position, “2” Second Gear Manual, and “1” Low Gear Manual.




Fig. 2—Automatic Transmission Selector

In the normal driving range (D), the car starts in low gear, with automatic upshifts to second and high as road speed increases. With the throttle closed, the transmission downshifts from high to low at about 10 mph.

In Second Gear Manual (2), the car is in second gear and there is no upshift or downshift.

Manual Low (1) range is designed primarily for engine braking. Starting in this position, the car is in low gear and there is no upshift. If the transmission is in high gear in D and the driver moves the selector lever to 2, a downshift to second occurs, and the transmission stays in second down to about 25 mph. Then it downshifts to low.

PARKING PAWL

The transmission gear train is in neutral in both the P and N positions. There is no pressure to any clutch and only the transmission input shaft turns. In park, a pawl engages a parking gear which is splined to the transmission output shaft (Fig. 1) to lock the rear wheels to the transmission main case.

FORCED DOWNSHIFTS

Forced downshifts (kickdown shifts) from high to second gear occur at road speeds as high as 90 mph. A kickdown shift to first gear occurs at 25 mph. The gear ratio, axle ratio and

The carburetor is at full throttle before the accelerator is floor-boarded. Up to full throttle, a “torque demand” downshift to second is possible up to 40 mph. “Manual” downshifts require depressing the accelerator to the wide open throttle position to actuate the downshift valve in the transmission.

TORQUE CONVERTER

The C6 torque converter (Fig. 3) is typical of converters used in other Ford automatics. It consists of an **impeller** or pump, the driving member; a **turbine**, the driven member; and a **stator** or stationary member – all in a welded housing. The impeller forms the rear section of the housing and the converter covers the front section.




Fig. 3—Torque Converter

STATOR SUPPORT

The converter is supported by the pump housing and by the engine crankshaft. Studs in the cover fasten it to a driving plate attached to the crankshaft. The converter assembly serves as the engine flywheel. The rear hub of the impeller housing pilots in the transmission pump, and flats on the hub drive the pump whenever the engine is turning.

HYDRAULIC CLUTCH

There is no mechanical connection between the impeller and the turbine, which is splined to the transmission input shaft. The converter acts as an

100% SATISFACTION GUARANTEED

BUY IT NOW!

Click Here To Order

PayPal American Express Discover Novus MasterCard VISA



TORQUE CONVERTER

automatic clutch with the engine driving the impeller mechanically, the impeller driving the turbine hydraulically and the turbine driving the gear train mechanically. There is no neutral or disengaged clutch position in the converter. The only neutral is in the gear train.

IMPELLER PUMPS FLUID

The purpose of the impeller is the same as any pump – to put the fluid in motion. Inside the impeller housing (Fig. 4), many curved vanes, along




Fig. 4—Impeller Operation

with an inner ring, form passages for the fluid to flow through. The rotating impeller acts very much like a centrifugal pump. Fluid is supplied by the hydraulic control system, and flows into the passages between the vanes. When the impeller turns, the vanes accelerate the fluid and centrifugal force pushes the fluid outward so that it is discharged from openings around the inner ring. The curvature of the impeller vanes directs the fluid toward the turbine, and in the same direction as impeller rotation.

FORCE ON TURBINE

The vanes in the turbine are curved opposite to the impeller, and the impact of the moving fluid on the turbine vanes (Fig. 5) exerts a force that tends to turn the turbine in the same direction as impeller rotation. If enough torque on the (output) shaft to overcome the turbine begins to




Fig. 5—Fluid Coupling

Now the impeller and turbine are acting as a simple fluid coupling, but we have no torque multiplication yet. To get torque multiplication, we must return the fluid from the turbine to the impeller and accelerate the fluid again to increase its force on the turbine.

REVERSING THE FLOW

To get maximum force on the turbine vanes when the moving fluid strikes them, the vanes are curved to reverse the direction of flow (Fig. 5). Less force would be obtained if the turbine deflected the fluid instead of reversing it. At any stall condition, that is, with the transmission in gear and the engine operating, but the turbine standing still, the fluid is reversed by the turbine vanes and pointed back to the impeller. You can see, that without the stator, any momentum left in the fluid after it leaves the turbine would resist the rotation of the impeller.

STATOR AND ONE-WAY CLUTCH

The stator reverses the fluid again (Fig. 6) and returns it to the impeller in the direction of impeller rotation. A one-way clutch prevents the force of this fluid from turning the stator opposite the impeller and turbine.

As the fluid flows from the stator to the impeller, the impeller has another opportunity to accelerate the same fluid, and it does so. The fluid leaves the impeller with perhaps twice the energy it had the first time, and exerts a greater force on the turbine.

100% SATISFACTION GUARANTEED

BUY IT NOW!

Click Here To Order

TORQUE CONVERTER




Fig. 6—Torque Multiplication

VORTEX FLOW

We call the flow of fluid through the impeller, to the turbine, to the stator, and back through the impeller, the **vortex flow**. At high impeller speed and low turbine speed, the vortex flow velocity is the sum of the impeller produced velocity, plus the velocity of the fluid returning from the turbine and stator. It is vortex flow that gives us torque multiplication.

TORQUE MULTIPLICATION

By torque multiplication, we mean that there is more torque on the turbine shaft than the engine is putting out — because the vortex fluid is accelerated more than once. Torque multiplication is obtained at the sacrifice of turbine rotation. Actually, it's no different from mechanical advantage which you get from gearing down. You gain torque by sacrificing motion.

Torque multiplication takes place anytime the turbine is turning at less than 9/10 impeller speed. At full stall, the C6 converter produces a 2.1 to 1 torque multiplication. As the turbine speed increases in relation to the impeller, torque multiplication decreases.

but it is also rotating faster than the turbine. As this rotating fluid strikes the slower turning or stationary turbine, it exerts a turning force against the turbine. This is referred to as the **rotary flow**.

COUPLING PHASE

When the coupling phase is reached — that is, when the turbine speed is about 9/10 impeller speed — there is no longer any torque multiplication. The converter then is simply transmitting engine torque to the gear train.

As the turbine begins to rotate and steadily picks up speed, the vortex flow steadily loses speed because of the increasing centrifugal force acting against the flow through the turbine. The rotating impeller produced a centrifugal force in the fluid which caused it to flow from the center outward. The same centrifugal force is acting in the rotating turbine, trying to prevent the fluid from flowing inward. As the vortex flow slows down, torque multiplication is reduced.

ONE-WAY CLUTCH UNLOCKS

As the turbine catches up with the impeller, the angle at which the fluid leaves the turbine is constantly changing (Fig. 7), due to centrifugal force and to the turbine absorbing more of the energy of the moving fluid. In the coupling phase, the fluid




Fig. 7—Coupling Phase

100% SATISFACTION GUARANTEED

BUY IT NOW!

Click Here To Order

PayPal American Express Discover MasterCard VISA



PLANETARY GEAR SYSTEM

leaving the turbine strikes the **backs** of the stator vanes. The one-way clutch unlocks then and the impeller, turbine and stator turn together.

AUTOMATICALLY ADJUSTS TORQUE

Let's discuss some aspects of the converter that we may have missed. Since vortex flow speed is governed by the difference between impeller and turbine speed, the torque converter automatically adjusts converter output to drive shaft torque requirements.

When the drive shaft torque requirements become greater than the engine output torque, the turbine slows down and causes an increase in vortex flow velocity and thereby, an increase in torque multiplication. This automatic adjustment between torque input and output permits the converter to absorb the shock of sudden ratio changes (gear shifts) in the planetary gearset, especially at the lower road speeds.

If we are driving a C6 Automatic and cruising at 20 mph in high gear, then suddenly depress the accelerator pedal to less than a full-throttle downshift position, we hear the engine speed increase rapidly, while the road speed will increase somewhat slower. In this case, it is not entirely accurate to say that the converter is slipping. (There is, of course, some slippage in the converter at all times.) It is more accurate, in this instance, to say that the torque converter has automatically adjusted itself to produce a greater engine torque multiplication to increase drive shaft speed. Torque multiplication can occur in the converter only when the turbine rotates at less than 9/10 impeller speed.

When the converter is in multiplication, the recirculating vortex flow causes heat to be generated. To keep the fluid from overheating, a constant flow of fluid into and out of the converter is maintained. The fluid coming out of the converter is forced through a cooler located in the radiator tank.

In summary, the torque converter automatically performs the following functions:

Acts as an automatic clutch. At engine idle speed, it permits the engine to operate and the

limits, engine input requirements.

ratio changes (shifts).

PLANETARY GEAR SYSTEM

The C6 transmission uses a compound planetary gearset with one band, three friction clutches and a one-way clutch to provide the three speeds forward and one reverse. Before we see exactly how this system is put together and operates, let's review the operating principles of planetary gears.

PLANETARY GEAR PRINCIPLES

THE SUN AND THE PLANETS

A simple planetary gearset (Fig. 8) consists of an internal gear or **ring gear**, a **sun gear**, and a number of **planet pinions**. The planet pinions are mounted on shafts or pins on a **planet pinion carrier**. Thus, the pinions can rotate on their own axes, and also can revolve about the sun gear of the pinion carrier is free to turn. The gearset and its parts get their name from their parallel with the sun and the planets.




Fig. 8—Planetary Gearset

ALWAYS IN MESH

One thing that's immediately evident about this gearset is that the gears are always in mesh. You can also see that unlike the spur gears in a manual-shift transmission, planetary gears are not subject to high side loads when they're under torque. Also, we have many more teeth working at any time in a planetary gearset. What this all adds up to is that the driver doesn't have to be nervous about doing a lot driving in the lower gears — such as in stop and start traffic or using first gear for down-hill braking.




BUY IT NOW!

Click Here To Order



PLANETARY GEAR SYSTEM



GEAR COMBINATIONS

With a single planetary gearset, we have a number of possible gear combinations. These are:

- DIRECT DRIVE
- REDUCTION
- REVERSE
- NEUTRAL
- OVERDRIVE

We'll encounter all these combinations in the C6 except overdrive. As a matter of interest, though, with all the reduction we get in the C6 transmission and with a high-speed rear axle, we actually get all the benefits of overdrive along with automatic shift. At cruising speed in high gear, the engine is turning at about the same rpm it would with overdrive.

DIRECT DRIVE

Direct drive is accomplished in the planetary gearset by locking any two members together (Fig. 9). Then, no matter which member is driven, the




Fig. 9—Direct Drive

complete set turns as a unit. If, for example, our pinion carrier is splined to an output shaft, and the ring gear and sun gear are locked together and driven by an input shaft, we have a direct drive through the gearset, with output through the pinion carrier.




Fig. 10—Reduction

“walk” around the sun gear, in the same direction the ring gear is turning, but not as fast. Input torque is increased or multiplied since output speed is less than input.

REVERSE

In a simple planetary gearset, we get a reverse output anytime we hold the planet pinion carrier and drive another member. The planet pinions just turn on their axes then and act as idler gears – reversing the direction of the input.

For instance, if we drive the sun gear clockwise with the pinion carrier held (Fig. 11), the pinions turn counterclockwise and cause the ring gear also to turn counterclockwise.




Fig. 11—Reverse

100% SATISFACTION GUARANTEED

BUY IT NOW!

Click Here To Order

PayPal, American Express, Discover, MasterCard, VISA




VOLUME 70 S6-L2

Programmed Instruction Book

COURSE 7530

AUTOMATIC TRANSMISSION DIAGNOSIS



BUY IT NOW!

Click Here To Order 



AUTOMATIC TRANSMISSION DIAGNOSIS



FORD DIVISION
National Service Office
FIRST PRINTING — MARCH 1970

© 1970 FORD MOTOR COMPANY
DEARBORN, MICHIGAN

The descriptions, testing procedures, and specifications in this handbook were in effect at the time the handbook was approved for printing. Ford Motor Company reserves the right to discontinue models at any time, or change specifications, design or testing procedures without notice and without incurring obligations.



BUY IT NOW!

Click Here To Order

PayPal

Discover
Cards

Discover
NewUS

MasterCard

VISA

TABLE OF CONTENTS

	Page
Objectives	C
Introduction	D
Sample Lesson	E
Part I — Diagnosis Guide	
Lesson 1 — Use of the Guide	3
Lesson 2 — Location of Service Procedures	5
Part II — Fluid Checks	
Lesson 3 — Checking the Fluid Level	9
Lesson 4 — Dipstick Identification	15
Lesson 5 — Adding Fluid	17
Lesson 6 — Interpreting Fluid Condition	19
Part III — Linkage Checks and Engine Idle	
Lesson 7 — Accelerator (Throttle) Linkage	29
Lesson 8 — Downshift Linkage	31
Lesson 9 — Manual Linkage	33
Lesson 10 — Engine Idle	35
Part IV — Shift Speeds	
Lesson 11 — Specifications for Shift Speeds	39
Lesson 12 — Shift Test Preparation (In Shop)	41
Lesson 13 — Light Throttle Shift Tests	43
Lesson 14 — Torque Demand Shift Test	47
Lesson 15 — Wide-Open Throttle Shift Test	49
Part V — Pressure Testing	
Lesson 16 — Automatic Transmission Tester — Engine Connections	53
Lesson 17 — Automatic Transmission Tester — Vacuum Gauge Connection	55
Lesson 18 — Automatic Transmission Tester — Pressure Gauge Connection	57
Lesson 19 — Vacuum Supply and T.V. Diaphragm OK	59
Lesson 20 — Pressure Testing by Vacuum Pump Method	61
Lesson 21 — Recording Pressure Test Results	63
Lesson 22 — Interpreting Pressure Test Results	65
Part VI — Governor Checks	
Lesson 23 — Preparation for Governor Check	69
Lesson 24 — Governor Check on C4, C6	71
Lesson 25 — Governor Check on FMX	75
Part VII — Fluid Cooler Flow Check	
Lesson 26 — Preparation for Fluid Cooler Flow Check	79
Lesson 27 — Checking Fluid Cooler Flow	81



BUY IT NOW!

Click Here To Order



TABLE OF CONTENTS

	Page
Part VIII — Stall Testing	
Lesson 28 — Preparation for Stall Test	85
Lesson 29 — Stall Test Procedure	87
Lesson 30 — Interpreting Stall Test Data	89
Part IX — Diagnosis Charts	
Lesson 31 — How to Use Diagnosis Charts	93
• Slow Initial Engagement	92
• Rough Initial Engagement in Either Forward or Reverse	94
• No Drive in Any Gear	96
• No Drive Forward — Reverse OK	98
• No Drive, Slips or Chatters in Reverse — Forward OK	100
• No Drive, Slips or Chatters in First Gear in D. All other Gears Normal	102
• No Drive, Slips or Chatters in Second Gear	102
• Starts in High in D; Drag or Lockup at 1-2 Shift Point or in 2 or 1	104
• Starts Up in 2nd or 3rd But No Lockup at 1-2 Shift Points	106
• Shift Points Incorrect	108
• No Upshift at Any Speed	110
• Shifts 1-3 in D	112
• Engine Overspeeds on 2-3 Shift	114
• Mushy 1-2 Shift	116
• Rough 1-2 Shift	118
• Rough 2-3 Shift	118
• Rough 3-1 Shift at Closed Throttle in D	120
• No Forced Downshifts	122
• No 3-1 Shift in D	122
• Runaway Engine on Forced 3-2 Downshift	126
• No Engine Braking in Manual First Gear	128
• No Engine Braking in Manual Second Gear	130
• Transmission Noisy — Valve Resonance	132
• Transmission Noisy — Other Than Valve Resonance	134
• Transmission Overheats	136
• Transmission Fluid Leak	138
Part X — Fluid Leakage in Converter Area	
Lesson 32 — Front Pump Seal Leaks	143
Lesson 33 — Front Pump-to-Case Bolt or Gasket Leaks	145
Lesson 34 — Converter Drain Plug Leaks	147
Lesson 35 — Engine Oil Leaks	149
Fluid and Oil Color Identification	151
Converter Area Cleaning and Leakage Diagnosis	153
	155



BUY IT NOW!

Click Here To Order



OBJECTIVES

This programmed instruction book is designed to teach you to diagnose the various troubles that may occur in Ford automatic transmissions. As you complete this course, you should be able to:

1. Locate specific procedures in the appropriate shop manuals for checks and adjustments that are part of the diagnosis procedure.
2. Use the Automatic Transmission Diagnosis Guide to record your test findings and diagnose the failure cause.
3. Follow the appropriate "road map" Diagnosis Charts in locating the causes of specific complaints.
4. Properly connect necessary test equipment used in the diagnosis procedures.
5. Perform and correctly interpret fluid checks, shift speed checks, pressure tests, governor checks, fluid cooler flow checks and stall tests.
6. Locate the origins of external leakage from the transmission or other components near the transmission, which cause oil to be deposited on the transmission.
7. Determine what specific repair procedure is required to correct the diagnosed problem and restore proper operation.

It is assumed that, prior to studying this book, you already have the technical knowledge and skills needed to repair and adjust the automatic transmission components used on Ford cars.

NOW PLEASE READ THE COURSE INTRODUCTION ON PAGE D FOLLOWING.



BUY IT NOW!

Click Here To Order



INTRODUCTION

This programmed instruction book is divided into a number of small units or lessons designed to help you learn quickly and easily. The lessons are presented in the sequence of the normal automatic transmission diagnosis procedure.

Using this method, you will build your knowledge step by step. Be certain that you understand each lesson before proceeding to the following lesson. There is no need to hurry. You can put the book aside at any time and later resume your study where you left off.

PROGRAMMED INSTRUCTION FORMAT

To help you learn more effectively, the material is presented in a programmed instruction format. You will be asked a number of questions as your study proceeds. Each time you encounter a question, select the best answer and **mark your answer on the answer sheet you'll find at the back of the book.** Then, turn to the page the answer directs you to, and check your answer. When you turn to the page, read **only** the material that corresponds to your specific answer at that point, as identified by the question number and the answer letter. For example, 15B would designate that you chose answer B to question 15. From then on, simply follow the instructions the book gives you for reviewing material as necessary and proceeding to the next lesson.

The answer sheet is for **your** use only; it will not be checked or examined by anyone else. The course material is not designed to see how well you score, but to help you learn the material effectively.

Now, before you begin the course:

- 1. Remove the answer sheet from the back of the book.**
- 2. Work the "sample lesson" on page E following.**



SAMPLE LESSON

In this course book, you will deal with three basic automatic transmission designs: the FMX, the C4 and the C6.

The FMX design goes farthest back into Ford history, having evolved through several stages of refinement from the first Fordomatic and Mercomatic design. The C4 transmission was an entirely new design when released in 1964 for use with lower torque engines. Model C6, with the same design gear train as the C4, was released in 1966 for use with higher torque engines.

AFTER YOU STUDY THE FOLLOWING MATERIAL, PLEASE RESPOND TO THE FOLLOWING QUESTION BY MARKING "A" OR "B" ON YOUR ANSWER SHEET OPPOSITE "SAMPLE LESSON."






FIGURE A — FORD AUTOMATIC TRANSMISSIONS

SAMPLE Question:

Which of the following are most similar in design:

A. FMX and C4 . . . turn to page F.

and C6 . . . turn to page 4.

100% SATISFACTION GUARANTEED

BUY IT NOW!

Click Here To Order



SAMPLE Answer A:

You said that the FMX and C4 are most similar in design from the choices given. While there are similarities, these units have entirely different gear trains and hydraulic control systems. However, the C4 and C6 are very close in design as the lesson and pictures show.

Turn back to page E and compare the pictures in Figure A; then choose answer B.

PLEASE RETURN TO LESSON 1 ON PAGE 3.



BUY IT NOW!

Click Here To Order



PART I

DIAGNOSIS GUIDE



BUY IT NOW!
Click Here To Order 



AUTOMATIC TRANSMISSION DIAGNOSIS GUIDE (FOR ALL FORD PASSENGER VEHICLES & LIGHT TRUCKS)

General: This form must be completely filled in throughout the steps required to diagnose the problem and attached to Forms 1863 covering the correction of transmission malfunction complaints (e.g., erratic shifting, slippage during shifts, failure to shift, harsh and delayed shifts, noise, etc.). It is not necessary to complete this form on complaints involving external leaks.

Transmission Model _____ Transmission Date Code/or Serial No. _____
R.O. No. _____ Axle Ratio _____ Tester _____

DIAGNOSIS PROCEDURE

Following steps will provide complete data necessary to perform an accurate diagnosis of transmission difficulties.
(Note: Items 1, 2, 3 and 5 also should have been performed during pre-delivery)

1. Check transmission fluid level Full Overfilled Low
2. Engine idle: (RPM)

ENGINE (CID) RECORD SPECIFICATION THERMACTOR AS RECEIVED SET TO

YES NO

3. Check kickdown and manual linkage D.K. Other (Explain) _____
4. Perform stall test to check engine performance and for any sign of transmission slippage. Performed.
After each stall test move selector lever to neutral with engine running at 1000 RPM to cool the transmission.
Caution: Release throttle immediately if slippage is indicated.

STALL SPEED DATA

Selector Lever Position	Specified Engine RPM	Record Actual Engine RPM	DIAGNOSIS	
			Above Specified Engine RPM	Below Specified Engine RPM
R			1. Transmission slippage 2. Clutches or bands not holding	1. Poor engine performance, such as need for tune-up 2. Converter one way clutch slipping or improperly installed
D				
2				
1				

Note: Stall test with transmission at operating temperature. **DO NOT** hold throttle open over five seconds during tests.

5. Drive the car in each range, and through all shifts, including forced downshifts, observing any irregularities of transmission performance.

6. Shift Test

Throttle Opening	Range	Shift	Shift Points (MPH)	
			Record Actual	Record Spec.
Minimum (Above 18" Vacuum)	D	1-2	---	---
	D	2-3	---	---
	D	3-1	---	---
To Detent (Torque Demand)	D	2-1	---	---
	D	1-2	---	---
	D	2-3	---	---
Thru Detent (WOT)	D	3-2	---	---
	D	1-2	---	---
	D	2-3	---	---
D	3-2	---	---	
D	2-1 or 3-1	---	---	

7. Control Pressure Test - Transmission fluid must be normal operating temperatures.

Engine RPM	Manifold Vacuum Ins. Hg	Throttle	Range	PSI	
				Record Actual	Record Spec.
Idle	Above 18	Closed	P	---	---
			N	---	---
			D	---	---
			2	---	---
			1	---	---
As Req.	10	As Req.	D,2,1	---	---
As Req.	1	As Req.	D	---	---
			2	---	---
			1	---	---
			R	---	---

NOTE: After road test you should know the following items:

- CONTROL PRESSURE - Does the transmission have the CORRECT CONTROL PRESSURE? YES NO
- CONTROL VALVES - Beyond the manual valve are all the CONTROL VALVES FUNCTIONING? YES NO
- HYDRAULIC CIRCUITS - If the first two items check out good, then check the transmission's internal hydraulic circuits that are beyond the VALVE BODY. These circuits must be checked during transmission disassembly.

8. TORQUE CONVERTER AND OIL COOLER (Where applicable)

- Record torque converter turbine and stator end play. TURBINE _____ STATOR _____
- Was torque converter flushed with a mechanical cleaner? YES NO
- Was oil cooler flushed with a mechanical cleaner? YES NO

9. The problem was diagnosed to be: _____

10. If it was necessary to disassemble the transmission, record the actual problem found: _____



BUY IT NOW!

Click Here To Order



LESSON 1

USE OF THE AUTOMATIC TRANSMISSION DIAGNOSIS GUIDE FD-1863-AT

Diagnosing of automatic transmission problems is not as complicated as it appears if the recommended procedures are followed. The only way to be certain of simplifying diagnosis is to follow a definite, proven procedure. Taking shortcuts, or assuming that someone else has performed certain critical tests, checks or adjustments, is bound to cause you trouble.

The general order of a systematic diagnosis procedure is shown on the Automatic Transmission Diagnosis Guide FD-1863-AT shown at the left (page 2). This guide is keyed to the “road map” diagnosis charts for specific complaints, which you will encounter further along in the handbook, and also in the Diagnosis Manual.

First, though, the course will take you through the procedures required to complete the Automatic Transmission Diagnosis Guide as called for by the complaint.

For this first lesson, read through and familiarize yourself with the contents of the guide. Then answer the following question:

Question No. 1:

The Automatic Transmission Diagnosis Guide (FD-1863-AT) is used to cover the correction of automatic transmission complaints on:

- A. Passenger cars only . . . turn to page 8 (bottom).**
- B. Passenger cars and light trucks . . . turn to page 10 (bottom).**



Automatic Transmission		GROUP
		17
PART 17-01	PAGE	PART 17-03
General Transmission		FMX Automatic Transmission 17-03-01
Service	17-01-01	PART 17-04
PART 17-02		C6 Automatic Transmission 17-04-01
C4 Automatic and C4S		
Semi-Automatic Transmission	17-02-01	

FIGURE 1 — CUTOUT OF AUTOMATIC TRANSMISSION SERVICE INDEX

SAMPLE Answer B:

Right! As Figure A shows and as the lesson tells you, the C4 and C6 transmissions have basically identical gear trains. Also, the hydraulic controls are very similar. The FMX uses an entirely different gear train and control system.

page 3 now and begin the course with Lesson 1.



BUY IT NOW!

Click Here To Order



LESSON 2

LOCATION OF SERVICE PROCEDURES

One of the delights of the automatic transmission diagnosis procedure is that it includes certain specific service or adjustment procedures, which in themselves may correct the complaint. We shall not repeat all of these procedures in this handbook, since most of them are detailed in your Shop Manuals for the specific car or truck.

For instance, the cut-out at the top of page 4 (Figure 1 at left) shows the beginning of the typical Shop Manual section on automatic transmission service. Notice that there are three basic types of automatic transmission given coverage — (1) C4 and C4S, (2) FMX and (3) C6. The General Transmission Service Section in the Shop Manual covers testing; common adjustments and repairs; and cleaning and inspection for all three types. The other sections then cover specific procedures for the individual types.

In addition, there are methods for various linkage adjustments and other procedures in the Engine Section of the Shop Manual. We'll get to those in Part III of this course.

Question No. 2:

Automatic transmission service and adjustment procedures not covered in this book are found in:

- A. General Transmission Section of the Shop Manual . . . turn to page 12 (bottom).**
- B. Engine Section of the Shop Manual . . . turn to page 6 (bottom).**



Answer No. 3A:

Not so! If the transmission fluid is cold, you cannot get an accurate reading of its level.

The engine should be operated at fast idle (about 1200 rpm) until the fluid reaches its **NORMAL OPERATING TEMPERATURE**.

Go to page 9 and reread the material.

Answer No. 2A:

No! The automatic transmission procedures are not found in the Engine Section; though linkage adjustment procedures which you will have to perform are there.

Page 5; reread the lesson; and try again.



BUY IT NOW!

Click Here To Order



PART II

FLUID CHECKS



BUY IT NOW!
Click Here To Order 

